

Product Summary of NAUTITALK N2R



About the Product

- Mesh Intercom over-the-ear communication system
- Worn over the head
- Can be directly connected to two-way radios

Communication


- Mesh Intercom
 - Open Mesh: 9 channels
 - Working distance: up to 1.1 km (0.7 mi)
 - *Can extend up to 4.4 km (2.8 mi) between a minimum of 6 users
 - Talk time:

- Up to 9 hours (Lithium Polymer battery)

Product Details




- ① Headband
- ② Right Ear Cup
- ③ Left Ear Cup
- ④ Ambient Button
- ⑤ Pinhole Fault Reset Button



Headset's Buttons

- ⑥ Status LED
- ⑦ MIC Button
- ⑧ Microphone Port
- ⑨ Mesh Intercom Button
- ⑩ PTT Button
- ⑪ Center Button
- ⑫ (+) Button
- ⑬ Battery Cover
- ⑭ (-) Button



Headset's Port Layout

- ⑮ Two-way Radio Port
- ⑯ Wired PTT Button Port
- ⑰ DC Power Charging & Firmware Upgrade Port
- ⑱ Charging LED

NAUTITALK N2R vs Cast

	NAUTITALK N2R
MSRP	729€
Speaker	32 mm - thickness 7.1 mm
Buttons	7 Buttons (Plus, Minus, Multi-function, Mesh, Mic Mute, Ambient and PTT)
Bluetooth version	4.1
Intercom	Mesh Intercom Open Mesh: 9 channels Distance: up to 1.1 km (0.7 mi) - Talk time: up to 9 hours (Lithium Polymer battery)
Voice Commands	Not supported
FM Radio	Supported
Audio Multitasking	Not supported
Audio Equalizer	Not Supported
Voice prompts	Multi language voice prompts with 11 languages (using the Sena Marine App and Sena Device Manager)
Advanced Noise Control	Supported (Always on)
Firmware Update	Sena Device Manager
Charging Cable	USB-C
Mobile App	Sena Marine App
Smart Intercom Pairing (SIP)	Not Supported
Supported Battery Types	Lithium Polymer (removeable) 3 x AAA batteries

Lithium Polymer Battery Size	1 x 1100 mAh
Can Be Used While Charging?	Yes
Charging Time	2.5 hours
Fast Charge support?	Yes
FM Sharing support?	No

Main Features

- Mesh Intercom
- Multilingual voice prompts
- Advanced Noise Control™
- New and improved headband and earmuff brackets
 - Durable enough for all applications
- Same microphone array design as 30K series
 - Uses standard Sena microphone sensor
 - Detachable
- Ambient Mode
- Button for muting the microphone
- Connectivity to two-way radio via wired cable
- Built-in PTT button for two-way radios
 - Can connect to two-way radios using the same cables as the Tufftalk
- Removable lithium polymer battery
 - Or can use 3 x AAA batteries*
 - *Mesh Intercom talk time varies depending on the AAA battery manufacturers and quality

List of accessories for the NAUTITALK N2R

SC-A0332	Rechargeable Battery 1100L
SC-A0335	Dual Battery Charger and Rechargeable Battery 1100L
SC-A0336	USB Power & Data Cable (Straight USB type-C)
SC-A0343	2-way Radio Cable for Kenwood Twin-pin Connector
SC-A0344	2-way Radio Cable for Motorola Twin-pin Connector
SC-A0345	2-way Radio Cable for Motorola Single-pin Connector
SC-A0346	2-way Radio Cable for Icom Twin-pin Connector
SC-A0347	2-way Radio Cable for Yaesu Single-pin Connector
SC-A0348	2-way Radio Cable for Midland Twin-pin Connector
SC-A0349	2-way Radio Cable with an Open End
SC-A0350	2-way Radio Cable with Straight Type for Midland or Icom Twin-pin Connector
SC-A0351	Hygiene Kit
SC-A0352	Microphone
SC-A0353	Wired PTT